

## 1MP Wi-Fi Villa Outdoor Station



### Features

- HD CMOS camera
- Large field of view angle
- Night vision
- Voice indication
- Remote intercom with mobile APP
- Surface mounted


### Specifications

Mode		DHI-VTO2111D-WP
System	Main Processor	Embedded Micro Processor
	Operation System	Embedded LINUX OS
Video	Video Compression	H.264
	Image Sensor	1/4" 1MP CMOS
	Lens	2.2mm
	Angle of View	D:125° H:105°
	Day/Night	ICR
Audio	Audio Compression	G.711
	Audio Input	Omnidirectional Mic
	Audio Output	Built-in Speaker
	Bidirectional Talk	Support Dual-way Bidirectional talk
Operation Mode	Keypad	Single Mechanical Button
	Reader	Mifare Card
	Body Approaching	1m
Interface	Door Control	2(1 relay out for main lock, 1 extended by access control module)

## DHI-VTO2111D-WP

	<b>Alarm In</b>	2(1ch unlock button, 1ch feedback)
	<b>RS485</b>	1
<b>Network</b>	<b>Wi-Fi</b>	IEEE802.11b/g/n
	<b>Ethernet</b>	10M/100Mbps Self-adaptive
	<b>Network Protocol</b>	TCP/IP
<b>General</b>	<b>Ingress Protection</b>	IP65
	<b>Tamper Switch</b>	1
	<b>Memory Slot</b>	Micro SD, Max 64G
	<b>Installation</b>	Surface & Flush
	<b>Material</b>	Plastic
	<b>Power</b>	DC 12V, PoE(802.3af)
	<b>Power Consumption</b>	Standby ≤1W, Work ≤7W
	<b>Working Environments</b>	- 30℃ ~ +60℃
	<b>Relative Humidity</b>	10%~90%RH
	<b>Dimensions</b>	135mm×70.4mm×34.4mm
	<b>Weight</b>	0.4Kg;

## Dimensions




## Application

### 1 – Smart Doorbell


Call Mobile phone APP directly without indoor monitor

# DHI-VTO2111D-WP



## 2- Video Intercom

- Color video & audio call
- IPC surveillance
- Alarm integration
- Remote intercom with mobile APP



### Dahua Technology Co., Ltd.

1199BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: [overseas@dahuatech.com](mailto:overseas@dahuatech.com)

[www.dahuatech.com](http://www.dahuatech.com)